

BID BOND

KNOW ALL MEN BY THESE PRESENTS, that I/We _____

as Principal, hereinafter called Contractor, and

a corporation duly organized or authorized to do business under the laws of the State of Nevada, as Surety, hereinafter called the Surety, are held and firmly bound unto Truckee Meadows Water Authority, a joint powers authority created pursuant to NRS Chapter 277, for the sum of \$ _____ Dollars

(state sum in words)

for the payment whereof Contractor and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents. This bond shall be governed by the laws of the State of Nevada.

WHEREAS, the Principal has submitted a bid, identified as **BID #0910-174** and titled "**City of Reno 2010 Unit 2 Main Replacements**".

NOW, THEREFORE if Truckee Meadows Water Authority shall accept the bid of the Principal and the Principal shall enter into a contract with Truckee Meadows Water Authority in Accordance with the terms of such bid, and give such bond or bonds as may be specified in the bidding or Contract Documents with good and sufficient surety for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof, or in the event of the failure of the Principal to enter such Contract and give such bond or bonds, if the Principal shall pay to Truckee Meadows Water Authority the difference not to exceed the penalty hereof between the amount specified in said bid and such larger amount for which Truckee Meadows Water Authority may in good faith contract with another party to perform work covered by said bid or an appropriate liquidated amount as specified in the Invitation for Bids then this obligation shall be null and void, otherwise to remain in full force and effect.

Executed on this _____ day of _____, 2010

(Signature of Principal)

Name: _____

Title: _____

(Seal)

Firm: _____

Address: _____

City/ State / Zip Code: _____

Written Name of Principal: _____

(Signature of Notary)

ATTEST NAME: _____

Subscribed and sworn before me this _____ day of _____, 2010

(printed name of notary)

Notary Public for the State of _____

Claims Under This Bond May Be Addressed To:	Nevada Licensed Agent Information
Name of Surety	Name of Nevada Agent
Address	Address
City	City
State/Zip Code	State/Zip Code
Name	Agent's Name
Title	Agent's Title
Phone	Agent's Telephone
Surety's Acknowledgment	

NOTICE: No substitution or revision to this bond form will be accepted. Sureties must be authorized to do business in and have an agent for service of process in the State of Nevada. Certified copy of Power of Attorney must be attached.

BID SCHEDULE

January 11, 2010

NOTICE: No substitution or revision to this Bid Schedule form will be accepted. Truckee Meadows Water Authority will reject any Bid that is received that has changes or alterations to this document. Although the Prevailing Wages are provided in this bid document, the bidder is responsible to verify with the Labor Commissioner if any addendums have been issued. If different, the successful bidder will be required to provide the current Prevailing Wages used in preparation of their bid within 24 hours of bid submission.

BID # 0910-174

BID TITLE: City of Reno 2010 Unit 2 Main Replacements

PRICES must be valid for 30 calendar days after the bid opening.

A COPY OF THE "CERTIFICATE" of eligibility to receive a preference in bidding on public works issued to him/her by the State Contractors' Board must be submitted with his/her bid to the Contracts Division in accordance with N.R.S. 338.147 for the preference to be considered. This Statute does not apply to projects expected to cost less than \$250,000.

COMPLETION of this project is expected **PURSUANT TO CONTRACT DOCUMENTS**.

BIDDER acknowledges receipt of _____ Addendums.

(signature)

SUMMARY

Description	Scheduled Value	Unit	Unit Price	Total Price
1. Mobilization/Demobilization, Insurance, Bonds, Site Clean-Up, and Miscellaneous Fees	1	LS	Lump Sum	
2. Furnish and Install Traffic Control	1	LS	Lump Sum	
3. Furnish and Install 6-inch Diameter Pressure Class 235 C900 PVC Water Main - Includes Couplings, Tracer Wire, Warning Tape, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, Disinfection, Flushing, Testing, and all other appurtenances and incidentals required for a complete in place, functional facility	1695	LF		
4. Furnish and Install 6-inch Diameter Pressure Class 350 Ductile Iron Water Main - Includes Polyethylene Encasement, Couplings, Tracer Wire (if specified), Warning Tape, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, Disinfection, Flushing, Testing, and all other appurtenances and incidentals required for a complete in place, functional facility.	118	LF		
5. Furnish and Install 6-inch Diameter Pressure Class 350 Restrained Joint Ductile Iron Water Main - Includes Polyethylene Encasement, Field Lok 350 Gaskets, Tracer Wire (if specified), Warning Tape, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, Disinfection, Flushing, Testing, and all other appurtenances and incidentals required for a complete in place, functional facility	393	LF		
6. Furnish and Install 6-inch Diameter FLG x MJ Adapter with Mechanical Joint Wedge Action Restraint Gland - Includes Polyethylene Encasement, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, and all other appurtenances and incidentals required for a complete in place, functional facility.	6	EA		

BID SCHEDULE

Description	Scheduled	Unit	Unit Price	Total Price
	Value			
7. Furnish and Install 6-inch Diameter 90 Degree Ductile Iron Elbow, MJ x MJ, with Mechanical Joint Wedge Action Restraint Glands (2) and Thrust Block - Includes Polyethylene Encasement, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, and all other appurtenances and incidentals required for a complete in place, functional facility.	2	EA		
8. Furnish and Install 6-inch Diameter 45 Degree Ductile Iron Elbow, MJ x MJ, with Mechanical Joint Wedge Action Restraint Glands (2) and Thrust Block - Includes Polyethylene Encasement, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, and all other appurtenances and incidentals required for a complete in place, functional facility. Installation may be horizontal or vertical.	10	EA		
9. Furnish and Install 6" x 6" Tapping Sleeve on existing 6" Transite (AC) water main for hot-tapping with Thrust Block and 6" Gate Valve, FLG x FLG - Includes Polyethylene Encasement, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, 2-inch Temporary AC Curb & Gutter and Sidewalk Patch, and all other appurtenances and incidentals required for a complete in place, functional facility. (TMWA to provide hot-tap labor)	1	EA		
10. Furnish and Install 6" x 6" Tapping Sleeve on existing 6" Cast Iron water main for hot-tapping with Thrust Block and 6" Gate Valve, FLG x FLG - Includes Polyethylene Encasement, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, and all other appurtenances and incidentals required for a complete in place, functional facility. (TMWA to provide hot-tap labor)	3	EA		
11. RECONNECT Existing 3/4" Copper Residential Service Line - Includes 1" Service Saddle, 1" Corp Stop, 1" Service Tap, 1" CTS PE Service Line (Length Varies), 1" CTS PE x 3/4" Copper Grip Joint Coupling, Warning Tape, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, and all other appurtenances and incidentals required for a complete in place, functional facility.	58	EA		
12. RECONNECT Existing 1" PE Residential Service Line - Includes 1" Service Saddle, 1" Corp Stop, 1" Service Tap, 1" CTS PE Service Line (Length Varies), 1" CTS PE x 1" CTS PE Grip Joint Coupling, Warning Tape, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, and all other appurtenances and incidentals required for a complete in place, functional facility.	2	EA		
13. REPLACE Existing 3/4" Residential Service Line - Includes 1" Service Saddle, 1" Corp Stop, 1" Service Tap, 1" CTS PE Service Line (Length Varies), 1" CTS PE Grip Joint x 3/4" FIP/MIP Coupling, Connection to Existing Meter Setter, Warning Tape, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, 2-inch Temporary AC Curb & Gutter and Sidewalk Patch, and all other appurtenances and incidentals as required for a complete in place, functional facility.	1	EA		
14. Furnish and Install 6-inch In-Line Isolation Gate Valve, PO x PO - Includes Polyethylene Encasement, Valve Box, Conduit Riser Pipe, Concrete Pad, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, and all other appurtenances and incidentals required for a complete in place, functional facility.	2	EA		

BID SCHEDULE

Description	Scheduled	Unit	Unit Price	Total Price
	Value			
15. Snap and Cap Existing 6" Transite (AC) Water Main - Includes 6" Hymax 2100 Series Flanged Adapter, 6" Blind Flange, Polyethylene Encasement, Removal and Disposal of Section of Existing 6" Transite (AC) Water Main, Thrust Block, Blocking, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, and all other appurtenances and incidentals required for a complete in place, functional facility.	1	EA		
16. Cut and Cap Existing 6" Cast Iron Water Main - Includes 6" MJ Cap with Mechanical Joint Wedge Action Restraint Gland, Polyethylene Encasement, Removal and Disposal of Section of Existing 6" Cast Iron Water Main, Thrust Block, Blocking, Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, and all other appurtenances and incidentals required for a complete in place, functional facility.	3	EA		
17. Furnish and Install Tracer Station - Includes Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, and all other appurtenances and incidentals required for a complete in place, functional facility.	5	EA		
18. Furnish and Install 2-Inch Vertical Tap for Flushing and Testing - Includes 2" Service Saddle, 2" Corp Stop, 2" Brass Plug, and all other appurtenances and incidentals required for a complete in place, functional facility.	6	EA		
19. Slurry Encase Water Main with Excavatable Cement Slurry	100	LF		
20. Plug End of Existing 6" Transite (AC)/Cast Iron Main to be Abandoned in Place with Concrete - Includes Excavation, Backfill, 2-inch Temporary AC Pavement Patch, and all other required appurtenances and incidentals.	10	EA		
21. Remove Existing Valve Box and Conduit Riser Pipe - Includes Excavation, Bedding, Backfill, 2-inch Temporary AC Pavement Patch, and all other required appurtenances and incidentals.	2	EA		
The following bid items 22-24 are contingent items and may not be required or authorized. They will be considered in the total bid price when selecting the best bidder pursuant to NRS 338.				
22. Rock Excavation (Reference Article 4 of the General Conditions and See Note 4)	10	CY		
23. Additional Trench Excavation Depth - per foot of depth, below the design profile depth (See Note 5)	200	LF		
24. Additional 2-inch Thick Temporary Hot-Mix Asphalt Concrete (AC) Pavement Patch (See Note 6)	500	SF		
TOTAL BID PRICE (Bid Items 1 – 24)				

Total Bid Price Written in Words:

BID SCHEDULE

Notes to Bid Schedule:

1. This project is bid on a unit price basis and includes all necessary appurtenances for a complete in place, functional facility as described in the contract documents. Prices include all labor, equipment, materials, supervision, profit, overhead, and incidental costs. Bid item descriptions are not intended to be all inclusive. Bidders shall include costs for work not specifically mentioned in the most appropriate item, including but not limited to: potholing (both where necessary to verify existing utilities and at the locations specifically identified on the Improvement Plans); pavement saw-cutting; removal and disposal of existing facilities to make connections to existing water mains/facilities; furnishing, installation, and removal of temporary flush assemblies.
2. Refer to Article 7 of the General Conditions for a list of items that may be included in the mobilization bid item.
3. TMWA reserves the right to perform extra work using time and expense or negotiated lump sum procedures.
4. Bid Item 22 shall be extended using a quantity of 10 cubic yards (CY) and shall be in addition to the excavation included in various other bid items.
5. The Additional Trench Excavation Depth bid item (Bid Item 23) is not applicable to conflicts that could be reasonably anticipated from existing facilities shown on the improvement plans or from inspection of the job site (such as valve covers, manholes, underground location markings, etc.). The unit price for Additional Trench Excavation Depth shall include shoring, bracing, backfill, compaction, etc. Additional Trench Excavation Depth shall be rounded to the nearest foot.
6. The Contractor shall be required to utilize best practices, due diligence, and the appropriately sized equipment to limit the temporary asphalt concrete (AC) pavement patches to widths less than three (3) feet for both water main and service lateral installations. The three (3) feet pavement patch width shall be utilized as the basis of the bid for the 2-inch Temporary AC Pavement Patch included in Bid Items 3, 4, 5, 6, 7, 8, 11, 12, 13, 14 and 17. For the anticipated trench depths, if the Contractor takes precautions, utilizes trench boxes and smaller equipment in areas that care of the existing pavement is warranted, additional temporary asphalt concrete (AC) pavement patch in excess of three (3) feet width is not anticipated. Temporary asphalt concrete (AC) pavement patches required at hot-tap locations, cut/snap and cap locations, valve retirement locations, and existing water main abandonment locations (Bid Items 9, 10, 15, 16, 20 and 21) shall be as required to complete the task, with NO additional compensation. Pavement patch widths for both water main and service lateral installations in excess of three (3) feet shall not be subject to additional compensation unless it is agreed upon by the Contractor and the TMWA Project Representative that unforeseen subsurface conditions exist and/or inferior asphalt conditions are present that even utilizing best practices with the appropriate equipment excessive damage could not be avoided.

BID SCHEDULE

BIDDER INFORMATION:

Company Name:
Address:
City:
State / Zip Code:
Telephone Number including area code:
Fax Number including area code:
E-mail:

LICENSING INFORMATION:

Nevada State Contractor's License Number:
License Classification(s):
Limitation(s) of License:
Date Issued:
Date of Expiration:
Name of Licensee:
City, State, Zip Code of Licensee:
Telephone Number of Licensee:

Business License Number:
Date Issued:
Date of Expiration:
Name of Licensee:
City, State, Zip Code of Licensee:
Telephone Number of Licensee:

Taxpayer Identification Number:

BID SCHEDULE

DISCLOSURE OF PRINCIPALS:

1. Individual and/or Partnership:

Owner 1) Name:
Address:
City, State, Zip Code:
Telephone Number:
Owner 2) Name:
Address:
City, State, Zip Code:
Telephone Number:
Other 1) Title:
Name
Other 2) Title:
Name:

2. Corporation:

State in which Company is Incorporated:
Date Incorporated:
Name of Corporation:
Address
City, State, Zip Code:
Telephone Number:
President's Name:
Vice-President's Name:
Other 1) Name:
Title:
Other 2) Name:
Title

MANAGEMENT AND SUPERVISORY PERSONNEL:

Persons and Positions	Years With Firm
Name	
Title	

BID SCHEDULE

Name	
Title	
Name	
Title	

(If additional space is needed, attach a separate page)

REFERENCES:

1. **Instructions:**
 - 1.1.1 List at least three (3) contracts of a similar nature performed by your firm in the last three (3) years. If **NONE**, use your Company's letterhead (and submit with your bid proposal) a list what your qualifications are for this contract. Truckee Meadows Water Authority reserves the right to contact and verify, with any and all references listed, the quality of and the degree of satisfaction for such performance. See the Supplemental Conditions for the TMWA Project Category required for this project.

2. **Clients:** (if additional space is needed attach a separate page)

Owner's Representative :	Telephone #
Address (inc. City, State & Zip):	
Owner's Representative's E-mail:	
Superintendent:	
Amount of Contract:	Date Completed:
Project Title:	
TMWA Project Category:	
Owner's Representative :	Telephone #
Address (inc. City, State & Zip):	
Owner's Representative's E-mail:	
Superintendent:	
Amount of Contract:	Date Completed:
Project Title:	
TMWA Project Category:	

BID SCHEDULE

Owner's Representative :	Telephone #
Address (inc. City, State & Zip):	
Owner's Representative's E-mail:	
Superintendent:	
Amount of Contract:	Date Completed:
Project Title:	
TMWA Project Category:	
Project Name:	
Owner's Representative :	Telephone #
Address (inc. City, State & Zip):	
Owner's Representative's E-mail:	
Superintendent:	
Amount of Contract:	Date Completed:
Project Title:	
TMWA Project Category:	
Project Name:	
Owner's Representative :	Telephone #
Address (inc. City, State & Zip):	
Owner's Representative's E-mail:	
Superintendent:	
Amount of Contract:	Date Completed:
Project Title:	
TMWA Project Category:	

BID SCHEDULE

CERTIFICATION REGARDING DEBARMENT, SUSPENSION, AND OTHER RESPONSIBILITY MATTERS PRIMARY COVERED TRANSACTIONS

1. The prospective primary participant certifies to the best of its knowledge and belief, that it and its principals:
 - a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded by any Federal, State or Local department or agency.
 - b) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or Local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.
 - c) Are not presently indicted for or otherwise criminally or civilly charged by a government entity (Federal, State or Local) with commission of any of the offenses enumerated in paragraph (1)(b) of this certification; and
 - d) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or Local) terminated for cause or default.

2. Where the prospective primary participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

Signature of Authorized Certifying Official

Title

Printed Name

Date

I am unable to certify to the above statement. My explanation is attached.

Signature

Date

BIDDER'S SAFETY INFORMATION

Bidder's Safety Factors:

Year	"E-Mod" Factor ¹	OSHA Incident Rate ²
2009		
2008		
¹ E-Mod (Experience Modification) Factors are issued by the Employer's Insurance Company of Nevada. ² OSHA Incident Rate is the number of OSHA Recordable Accidents per 100 employees and is calculated as the number of accidents divided by 208,000.		

BID SCHEDULE

LABOR AND EQUIPMENT RATE SCHEDULES

INSTRUCTIONS: Bidder shall fill in additional labor and equipment categories as appropriate and attach separate tables for Subcontractors at the time of Agreement execution. Per Article 8 of the General Conditions, Bidder will provide labor and equipment for extra work on the Project for the following prices, said prices to remain in effect for the entire Contract Time. If required by the Contract, prevailing wage rates shall be paid for labor.

1. Rates shall include all markups such as profit, overhead, subsistence, travel, fuel, maintenance, supervision, etc.
2. Equipment rates shall include mobilization, demobilization, and transportation to and from the job site(s).
3. These equipment rates apply regardless of whether equipment actually furnished is owned, leased, or rented by the Contractor. Special equipment not listed below shall be submitted and approved by TMWA prior to acquisition of the equipment by the Contractor.
4. Hourly standby rate is only applicable for delays caused by TMWA due to circumstances under TMWA's direct control and will be considered only as a claim under Article 8 of the General Conditions.
5. Standby is not applicable when equipment would have otherwise been idle and shall not exceed 40 hours per week.
6. Any extra work will be paid for at the rates listed or per a lump sum change order

LABOR CLASSIFICATION RATE SCHEDULE		
Labor Classification	Straight Time Rate	Overtime Rate
Superintendent		
Foreman		
Carpenter		
Cement Mason		
Electrician		
Equipment Operator		
Glazier		
Iron Worker		
Laborer		
Millwright		
Painter		
Pipe Fitter		
Plumber		
Roofer		
Sheet Metal Worker		
Truck Driver		
Welder		

BID SCHEDULE

SUBCONTRACTORS EXCEEDING FIVE PERCENT OF BID AMOUNT

INSTRUCTIONS: for Subcontractors **exceeding five (5) percent of bid amount** This information must be submitted with your bid proposal. The bidder shall enter “**NONE**” under “**Name of Subcontractor**” if not utilizing subcontractors exceeding this amount. (This form must be complete in all respects. If, additional space is needed, attach a separate page).

Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		

BID SCHEDULE

SUBCONTRACTORS EXCEEDING ONE PERCENT OF BID AMOUNT OR \$50,000

INSTRUCTIONS: for Subcontractors **exceeding one (1) percent of bid amount or \$50,000 whichever is greater.** This information must be submitted by the three lowest bidders within two (2) hours after the completion of the opening of the bids. Bidder shall enter "NONE" under "Name of Subcontractor" if not utilizing subcontractors exceeding this amount. (This form must be complete in all respects. If, additional space is needed, attach a separate page). The bidder may elect to submit this information with the bid proposal and, in that case, the bidder will be considered as having submitted this information within the above two hours.

Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		

BID SCHEDULE

SUBCONTRACTORS NOT PREVIOUSLY LISTED

INSTRUCTIONS: for **all Subcontractors not previously listed** on the 5% and 1% pages. This information must be submitted by the apparent best bidder within twenty four (24) hours after the completion of the opening of the bids. The bidder shall enter “**NONE**” under “**Name of Subcontractor**” if not utilizing any subcontractors not previously listed. (This form must be complete in all respects. If, additional space is needed, attach a separate page). The bidder may elect to submit this information with the bid proposal and, in that case, the bidder will be considered as having submitted this information within the above twenty four hours.

Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		
Name of Subcontractor	Address	
Phone	Nevada Contractor License #	Limit of License
Description of work		

ACKNOWLEDGMENT AND EXECUTION:

STATE OF _____)
) SS
 County of _____)

 (Name of Principal)

being first duly sworn, deposes and says: That he/she is the Contractor, or authorized agent of the Contractor for whom the aforesaid described work is to be performed by; that he/she has read the Plans, Specifications, and related documents including but not limited to, any addendums issued and understands the terms, conditions, and requirements thereof; that if his/her bid is accepted that he/she agrees to furnish and deliver all materials except those specified to be furnished by Truckee Meadows Water Authority (Owner) and to do and perform all work for the "City of Reno 2010 Unit 2 Main Replacements", Contract Number 0910-174, together with incidental items necessary to complete the work to be constructed in accordance with the Specifications, Plans, and Contract Documents annexed hereto.

TO THE GENERAL MANAGER OF TRUCKEE MEADOWS WATER AUTHORITY, NEVADA:

The undersigned, as bidder, declares that the only persons or parties interested in this proposal, as principals, are those named herein, the bidder is fully informed respecting the preparation and contents of the attached Bid and of all pertinent circumstances respecting such Bid: that this proposal is made without collusion with any other person, firm or corporation; that he/she has carefully examined the location of the proposed work; the annexed proposed form of Contract, the Contract Provisions, Plans, Specifications and Contract Documents incorporated therein referred to and made part thereof; that he/she proposes and agrees if this proposal is accepted, that he/she will contract with Truckee Meadows Water Authority in the form of the Contract prescribed, to provide all necessary machinery, tools, apparatus and other means of construction, and to do all the work and furnish all the materials specified in the Contract and annexed Contract Provisions, Plans and Specifications, in the manner and time prescribed and according to the requirements of the Project Representative as therein set forth, it being understood and agreed that the quantities shown herein are approximate only and are subject to increase or decrease, and that he/she will accept, in full, payment therefore the indicated prices.

	Contractor/Bidder:
(Printed Name of Contractor/Bidder)	BY: _____
	Firm: _____
	Address: _____
L.S.	City: _____
	State / Zip Code: _____
	Telephone Number: _____
	Fax Number: _____
	E-mail Address: _____
(Signature of Principal)	Signature: _____
	DATED this _____ day of _____, 2010.

State of Nevada)
) SS.
 County of _____)

On this _____ day of _____, in the year 2010, before me,

_____/Notary Public, personally appeared _____ Personally known to me (or proved

to me on the basis of satisfactory evidence) to be the person whose name is subscribed to this instrument, and acknowledged that he (she) executed it. WITNESS my hand and official seal.

Notary's Signature: _____ My commission Expires: _____