

City of Reno Public Works

1 E. 1st Street, 8th Floor
P.O. Box 1900
Reno, NV 89505
(775) 334-3304
(775) 334-1226 FAX



SPECIAL CONDITIONS OF APPROVAL FOR Permit # EAE14-00XXX

Applicant:

Job Description: TMWA Bravo Ave Intertie

City Contact: Travis Truhill

Date: 2-20-14

The following special conditions of approval are hereby incorporated with the Excavation/Encroachment Permit for the above referenced project. These conditions are in addition to any other requirements set forth in the latest edition of; Standard Specifications for Public Works Construction (Orange Book), Reno Municipal Codes, City of Reno Standard Details, City of Reno Design Manual and all applicable documents. The conditions listed herein only apply to right-of-way controlled by the City of Reno.

General Conditions:

1. The applicant agrees to abide to all terms and special conditions of this permit including associated costs/fees.
2. The applicant agrees to hold harmless the City of Reno, its employees, agents and representatives from liability, injuries, or damage to property.
3. It shall be the responsibility of the applicant to ensure that all required permits are obtained prior to the start of construction. Issuance of this permit is for right-of-way use purposes ONLY and does not grant approval or waiver of any additional permit that may be required for construction.
4. A copy of the valid Encroachment and Excavation Permit and Special Conditions shall be available at the construction site during work hours.
5. The City of Reno reserves the right to modify this list of Special Conditions in order to mitigate/resolve any unforeseen impacts to the public right-of-way or adjacent properties.
6. Upon receiving the Encroachment and Excavation Permit, the applicant agrees to abide by all conditions of a Stop Work Order posted by the City of Reno. A Stop Work Order may be posted by the City of Reno whenever the city has reasonable cause to believe that a violation of terms outlined on the Encroachment and Excavation Permit or the Special Conditions has/may occur. A Stop Work Order will necessitate a meeting between the applicant and city staff to resolve the issues leading to the posting of the

Order. Work shall only continue once a successful resolution addressing the issues of the Stop Work Order has been met to the satisfaction of City staff.

TRAFFIC CONTROL, NOTIFICATIONS & HOURS OF OPERATION:

1. **TRAFFIC CONTROL PLAN** - The Contractor will be required to submit a traffic control plan that conforms to the latest editions of the MUTCD to the City of Reno at least five (5) working days prior to the start of construction. The traffic control plan shall in no way relieve the Contractor of his responsibility of safety and/or liability requirements. Failure to comply with any specification herein or with direction from the City of Reno may result in a Stop Work Order until compliance is restored.
2. **TRAFFIC CONTROL SUPERVISOR** - The Contractor shall designate a Traffic Control Supervisor (TCS), certified by the American Traffic Safety Services Association (ATSSSTA), who shall be responsible for planning, initiating, installing and maintaining all traffic control devices, as shown on the traffic control plan, as specified in Part 6 of the Manual on Uniform Traffic Control Devices (M.U.T.C.D). The Contractor shall be responsible for scheduling and monitoring traffic control maintenance twenty-four (24) hours a day, for the duration of the work.
3. **TEMPORARY AND PERMANENT PAVEMENT MARKINGS** - The Contractor shall be responsible for placing and maintaining temporary and permanent pavement markings. Conflicting pavement markings shall be obliterated using methods that result in minimum pavement scar and completely remove marking materials. The Contractor shall be required to replace all damaged permanent Traffic Control Devices (i.e. signage, guard rail, street marking, etc.) at no cost to the City of Reno.
4. **TRAFFIC DETOURS ROUTES AND CLOSURES** – Two directional traffic shall be maintained at all times, with one lane in each direction. At the end of the work shift, travel lanes shall be available to accommodate local traffic. The Contractor will be required to maintain and facilitate existing access points to all residence and business within the work area. The use of flaggers may be needed to facilitate access.
5. **HOURS OF OPERATION** – Work hours are restricted to 7:00 am to 6:00 Monday through Friday. This includes equipment startup, transports, servicing, traffic control set-up, etc.

CONSTRUCTION REQUIREMENTS:

1. **DAMAGE TO CITY INFRASTRUCTURE** – Damage resulting from work or processes associated with this permit will be repaired to “as good” condition or better, using materials and methods approved by the City of Reno. Such repair may require an

addendum or separate permit. All costs associated with repair, will be charged to the applicant.

2. **STORM WATER PROTECTION** – Contractor is required to file a Notice of Intent (NOI) with the Nevada Department of Environmental Protection. The Contractor is required to submit the NOI, pay the associated fees, and ***PROVIDE A COPY OF THE NOI RECEIPT WITH THE EE PERMIT APPLICATION.*** Best Management Practices shall be in place prior to start of construction. The Contractor shall comply and maintain the Construction Site Inspection Checklist, located in Appendix D of the Truckee Meadows BMP Handbook. The checklist shall be onsite for review by State and local government inspectors. Contractor shall inspect the site daily; prior to forecasted rain events and within 24 hours of any rain event. If an inspector determines that installed storm water controls place the city at risk of violating its NPDES permit, the inspector may order a change to the storm water controls. If the change is not acceptable or is not immediately implemented, a violation possibly resulting in a fine may be issued. The Contractor shall not dispose or place debris in any City of Reno manhole, catch basin or facility.
3. **CONFLICTS / DESIGN CHANGES** – Conflicts that occur during construction requiring design changes shall be submitted to the City of Reno for review and approval. Adjustments of existing utilities to avoid conflicts may require additional work by other utilities/agencies requiring review and approval by the City of Reno.
4. **DE-WATERING** -The de-watering of existing mains, flushing etc shall be performed only at locations identified by the TMWA Engineer and approved by City of Reno.
5. **ISA CERTIFIED ARBORIST** - The Contractor shall employ an ISA certified Arborist to perform root crown excavation/root pruning and elevation trimming and branch trimming. This work shall be coordinated through the City of Reno Urban Forester. Pruning - If existing landscaping (trees, shrubs, branches, etc.) encroach into the public right-of-way and interfere with construction activity, the Contractor shall notify the adjacent property owner and the City of Reno before commencing any landscaping modifications such as pruning, trimming, or removal of landscaping. Any said modifications shall only be performed by an ISA certified arborist. City of Reno Parks Department, office of the Urban Forester, 334-2270, shall be notified three (3) working days prior to the work to be performed. At a minimum, notification shall include the name and license of the ISA certified arborist to perform the work, street address adjacent to the proposed work, and description of work to be performed.
6. **PRIVATE LANDSCAPING, IRRIGATION, ETC** - are not located in the USA Locates marking. The Contractor is responsible for coordinating with property owners and replacement to the property owner's satisfaction.
7. **STOCKPILING** - Stockpiling of excavated material and equipment on city streets or within the right of way shall not be allowed. Excavated materials shall be loaded

directly into a truck and removed from the job site immediately. ***A Grading permit shall be required where stockpiling and or staging areas are proposed.*** The Grading Permit Application and required attachments are processed through the Community Development Department and the requirements are subject to change. The Contractor shall not begin use of the site until the Grading Permit has been obtained.

8. **TRENCHING AND BACKFILL** - All trenching will be with excavators, backhoes or similar equipment. A "rock wheel" will not be permitted. If track equipment is used, it shall be the responsibility of the Contractor to protect the existing asphalt and concrete. Backfill (12-inches above the pipe zone) shall consist of Type 2 Class B aggregate base compacted to minimum 95%.
9. **ABANDONMENT OF PIPES** – All abandoned pipes as a result of this project greater than 4- inches in diameter shall be removed or grouted. If the Contractor chooses to grout then they shall ensure the grouting system has sufficient gauges, monitoring devices, and tests to ensure the effectiveness of the grouting operation. Mixes shall provide sufficient strength and durability to prevent collapses of the abandoned pipe, sufficient flow to effectively fill the pipe, and less than 1% shrinkage by volume. The Contractor is to calculate the approximate volume of grout based on pipe diameter and length and monitor the quantity actually used
10. **UTILITY VAULTS, BOX LIDS** - All manhole, vault or box lids within the right of way shall be traffic rated and have traffic rated lids and have concrete collars. The installation of traffic rated lids are required on both paved and non-paved street sections.
11. **REPLACEMENT OF CONCRETE** - All concrete removed and/or damaged as part of this work must be replaced by the Contractor (approved Concrete Contractor). Tunneling under existing concrete infrastructure is not permitted. Removal of PCC sections will require replacement at existing expansion or tool joints. Sidewalk base material must be constructed to 4" in depth with 95% compaction. Curb & Gutter base material must be constructed to 6" in depth with 95% compaction. Replacement of pedestrian ramps shall require construction/re-construction of the ramp in compliance with the standard details and Public Right-of-Way Accessibility Guidelines (PROWAG), latest revision.
12. **CATCH BASINS CLEANED BY VACTOR TRUCK** - The Contractor shall not deliberately dispose or place debris in any City of Reno manhole, catch basin or facility. Prior to the final sign off of the Excavation /Encroachment Permit, an inspection will be conducted to determine the conditions of the City's facilities have been cleaned. The cleaning, repair or replacement will be the responsibility of the permit holder (Contractor).

EXCAVATIONS PERMIT FEES -
PERMIT FEES -

\$ 156.00

Kerrie Koski – City of Reno, Street Program Manager



WASHOE COUNTY HEALTH DISTRICT

AIR QUALITY MANAGEMENT DIVISION



Public Health
Prevent. Promote. Protect.

Dust Control Permit #: DCP14-0016

Name of Development: BRAVO AVENUE INTERTIE PROJECT

Location of Development: 11855 JEAN WAY RENO

Acres: 2 **# of Water Trucks:** 1

Issued Date: 02/28/2014 **Expiration Date:** 08/30/2015
Issued To: TMWA

The following requirements are special conditions of approval for this dust control permit in addition to the standard conditions noted in the permit application. The special conditions noted below must be followed in all activities covered in this permit.

1. The required number of water trucks will be assigned and available for operation 24 HOURS A DAY, 7 DAYS A WEEK for the purpose of water application for control of fugitive dust. If the required number cannot control fugitive dust emissions from equipment operations and/or gusty wind conditions, the applicant shall immediately provide additional water trucks. CESSATION OF OPERATIONS IS REQUIRED IF DUST CANNOT BE CONTROLLED DUE TO EQUIPMENT OPERATIONS AND/OR GUSTY WIND CONDITIONS. IF CESSATION OF OPERATIONS IS USED AS A DUST CONTROL MEASURE, CONTINUED WATERING OF THE PROJECT IS REQUIRED.
2. Dust emissions generated on any entrance or exit haul roads due to equipment operations or gusty wind conditions must be controlled 24 hours a day, 7 days a week, by the use of water application or an environmentally safe dust palliative (District Regulation 040.030, Section C. 2. a. and b.) Any palliative used must comply with state and local regulations and not provide a noxious odor or contaminate ground water.
3. All projects importing or exporting dirt, rock or other fill materials must comply with the work practice standards in District Regulation 040.030, Section C. 4., including load tarping, watering or Freeboard. Any soil tracked onto adjoining paved roadways will be promptly removed by wet broom or washing. Regular vacuum or wet sweeping will be performed at least daily, and more often if necessary or if ordered by the Control Officer due to a violation. Any materials tracked out or spilled which cause visible fugitive dust for a period of five (5) minutes in any hour period shall be cleaned up immediately.
4. Any soil or fill storage piles operated or maintained as a part of this construction lot will be covered or wetted down sufficiently to prevent wind blown dust. Dust emissions from screening operations will be controlled by the use of a water truck or other control measure that prevents fugitive dust.

Dust Control Permit #: DCP14-0016

BRAVO AVENUE INTERTIE PROJECT - 11855 JEAN WAY RENO

5. The applicant shall implement additional dust control measures, such as extra water trucks, water cannons, re-vegetation, environmentally safe dust palliatives (which comply with all applicable regulations and do not emit a noxious odor and do not contaminate ground water), wind fencing, and/or cessation of operations should these measures fail to control fugitive dust emissions from this project.
6. Once final grade has been completed, and if no structures are being constructed, the owner/developer shall be required to establish a long-term stable surface. This shall include re-vegetation or covering the disturbed soil with rock or crushed asphalt products within 30 days of completion of final grade. The use of an approved palliative is an option, but must be approved by the Air Quality Management Division (AQMD) prior to application.
7. The applicant shall provide a Material Safety Data Sheet (MSDS) and dilution ratio to AQMD staff for any dust palliative selected for use as a dust control measure at this site.
8. A copy of this dust control permit shall be maintained at the construction project site and available to any sub-contractor or Air Quality Management Division inspector to review upon request.
9. ANY CHANGES MADE TO THE PROPOSED OPERATIONS, SCOPE OF WORK OR SURFACE DISTURBANCES UNDER THIS DUST CONTROL PERMIT shall be submitted to the Washoe County Health District, AQMD in writing and must receive approval from the Control Officer prior to implementation.
10. The owner or the general contractor shall erect an informational sign at the main entrance to the project site. The sign shall be a minimum of 4 ft by 4 ft in size, and shall be in place prior to initiation of disturbance of the ground surface. The sign lettering shall be at least 4 inches high and shall be bold and easily readable by the public. The sign shall remain in place for the life of the project. The sign shall include the following information, also see attached example:
 - a) The name of the project.
 - b) A statement identifying the General Contractor.
 - c) A statement proclaiming that "All operators at this site are required to control dust emissions from their operations. The General Contractor is required to oversee and control project wide dust emissions."
 - d) A statement proclaiming that "For dust related problems coming from this site, or to make a dust complaint, call this phone number 24 hours per day, seven days per week: (775) 784-7200. A 24-hour phone number for both the Contractor/Developer and the Air Quality Management Division shall also be posted. The 24-hour phone number for complaints to the Air Quality Management Division is (775) 784-7200.

Dust Control Permit #: DCP14-0016

BRAVO AVENUE INTERTIE PROJECT - 11855 JEAN WAY RENO

11. A log book of all dust control operations, containing all information as required by the Control Officer in the standard "**WASHOE COUNTY DUST CONTROL LOG**" must be maintained on a daily basis (copies of blank log sheets are available at the Air Quality Management Division Office). Required information includes, but is not limited to, the number of **OPERATING** water trucks/pulls, the size of **OPERATING** water trucks/pulls (gallons capacity of each truck/pull), and the condition of the surface crust on disturbed areas. The operator shall record in the logbook all dust control efforts and the compliance level of the site with dust control requirements. The logbook shall be kept at the project site and made available to District representatives upon request.
12. Visible dust may not be emitted into the air from any operations or disturbed areas of this project for more than 5 minutes in any hour period (Regulation 040.030, Section C. 1). All disturbed areas must maintain a visible surface crust or other cover in compliance with Regulation 040.030, Section C.2.c. Compliance shall be determined using US Environmental Protection Agency Reference Method 22, with an observation period of not less than 5 minutes in any hour period. Copies of District Regulations, enforcement policies and USEPA Reference Testing Methods may be obtained by contacting the Air Quality Management Division at (775) 784-7200.
13. Failure to comply with all of the requirements of this Dust Control Permit shall be considered a citable violation of District Regulations and this dust control permit. Citations may be issued for each day of violation, in amounts up to \$10,000 per day as stated in District Regulations.
14. Any use of recycled wastewater from a public or private sewer treatment plant must take into account the protection of public health.

NOTE: All operators who clear more than one (1) acre of land also need an NPDES permit addressing water quality issues related to storm run-off from the Nevada Division of Environmental Protection. Contact the Bureau of Water Pollution Control at (775) 687-9418 for further information.

Charlene Albee
Control Officer

THIS IS NOT A GRADING PERMIT. THESE CONDITIONS ADDRESS DUST CONTROL ONCE THE GRADING PERMIT HAS BEEN OBTAINED. IF THE GRADING PERMIT IS DENIED THIS PERMIT IS VOID.

11. Proposed Construction Dates – Per Phase:

*** provide grading and phasing maps ***

On-Site Grading/Excavation:
Building Construction:

Start: 4-1-14
Start: n/a

Complete: 6-27-14
Complete: n/a

- 12. Will fill material be required? Yes yd³ 2150; No _____
- 13. Will there be an excess of native material as a result of excavation? Yes yd³ 2150
No _____
- 14. Amount of Material to be excavated (yd³): 2150 (100% export/import for trench)
- 15. Is there a soil analysis report available? Yes _____ No
- 16. On-Site soil type: sandy silt
- 17. Method of dust control to be utilized (per phase): (attach a map showing dust control strategy-utilize scale with contours)

Water Truck(s) _____ (number of trucks)
 Chemical Sealant _____ (type – attach MSDS Sheets)
 Sprinklers/Water Cannons _____ (locations)
 Compaction _____ (percent)
 Enclosure _____ (fences, windbreaks)
 Revegetation _____ (type – attach seeding schedule)
 Will temporary irrigation be supplied? Yes _____ No _____
 Water Source: _____
 Speed Limits _____ Other _____

NOTE - Permanent stabilization methods such as construction/landscaping, revegetation, chemical sealant/palliative, or other approved method(s) of dust suppression must occur "within 30 days of grading completion". Dust suppression must continue regardless of construction status.

- 18. Method to control mud and soil being tracked onto adjacent paved roadways: _____
- 19. Frequency of daily street cleaning: _____
- 20. Describe the methods (fences, barriers, etc.) to prevent unauthorized traffic on the construction site(s): _____

21. Persons to be contacted during non-working hours in case of dust problems:

Name & Phone no: _____ Email: _____
 Name & Phone no: _____ Email: _____

22. The Applicant's (Owner/Developer) signature or that of his/her Attorney in fact on this application shall constitute agreement by the Applicant to accept responsibility for meeting the "Conditions of Plan" (attached):

Scott Estes
 Signature
Scott Estes
 Print or type name
Truckee Meadows Water Authority
 Company Name

2-25-14
 Date
Director of Engr.
 Title
834-8033
 Phone Number

11. Proposed Construction Dates – Per Phase:

*** provide grading and phasing maps ***

On-Site Grading/Excavation: Start: 4-1-14 Complete: 6-27-14
Building Construction: Start: n/a Complete: n/a

- 12. Will fill material be required? Yes [checked] yd^3 2150; No
13. Will there be an excess of native material as a result of excavation? Yes [checked] yd^3 2150; No
14. Amount of Material to be excavated (yd^3): 2150 (100% export/import for trench)
15. Is there a soil analysis report available? Yes No [checked]
16. On-Site soil type: sandy silt
17. Method of dust control to be utilized (per phase): (attach a map showing dust control strategy-utilize scale with contours)

Water Truck(s) (number of trucks)
Chemical Sealant (type – attach MSDS Sheets)
Sprinklers/Water Cannons (locations)
Compaction (percent)
Enclosure (fences, windbreaks)
Revegetation (type – attach seeding schedule)
Will temporary irrigation be supplied? Yes No
Water Source:
Speed Limits Other

NOTE - Permanent stabilization methods such as construction/landscaping, revegetation, chemical sealant/palliative, or other approved method(s) of dust suppression must occur "within 30 days of grading completion". Dust suppression must continue regardless of construction status.

- 18. Method to control mud and soil being tracked onto adjacent paved roadways:
19. Frequency of daily street cleaning:
20. Describe the methods (fences, barriers, etc.) to prevent unauthorized traffic on the construction site(s):

21. Persons to be contacted during non-working hours in case of dust problems:

Name & Phone no: Email:
Name & Phone no: Email:

22. The Applicant's (Owner/Developer) signature or that of his/her Attorney in fact on this application shall constitute agreement by the Applicant to accept responsibility for meeting the "Conditions of Plan" (attached):

Signature: Scott Estes
Print or type name: Truckee Meadows Water Authority
Company Name

Date: 2-25-14
Title: Director of Engr.
Phone Number: 834-8033

"CONDITIONS OF PERMIT"

1. The Applicant presents and agrees, in writing, to:
 - a) Implement an acceptable method to prevent particulate matter from becoming airborne. (Application of water with water truck or sprinklers, windscreens, speed limits, etc.)
 - b) Take additional precautions as reasonably prescribed by the Air Quality Management Division (AQMD), consistent with the provisions of Section 040.030 of the District Board of Health Regulations Governing Air Quality Management.
 - c) Suspend all or part of the activities that relate to or may contribute to a violation of Section 040.030 of the Air Quality Regulations, if satisfactory control of airborne particulate(s) cannot be provided, or upon request by the AQMD (i.e. high and/or adverse wind conditions).
 - d) Prevent any open burning which shall include, but is not limited to, open fires for disposal of trash, hand warming, etc.
 - e) Suspend all or part of the activities upon notification by the AQMD that an Air Pollution Emergency exists, until the termination of the Emergency condition.
 - f) Implement an acceptable method of soil stabilization when the project is finished.
2. The Applicant agrees to pay particular attention to the following conditions and/or areas:
 - a) Unimproved access roads used for entrance to or exit from the construction site.
 - b) Areas in and around building(s) under construction.
 - c) Dirt and mud deposited on adjacent, improved streets and roads resulting from the construction, that could result in a dust problem.
 - d) Restrict vehicles and equipment use on and around the construction site, including reducing the speed limit to prevent the generation of airborne dust.
 - e) Roads that are disturbed, removed, etc., resulting from construction.

"RESPONSIBILITIES OF APPLICANT DURING CONSTRUCTION"

3. The Applicant is responsible for:
 - a) All dust control **24 hours a day, 7 days a week, including weekends and holidays**, from commencement of project to completion.
 - b) If required, obtaining an NPDES permit addressing water quality issues related to storm run-off. The Nevada Division of Environmental Protection issues this permit. Contact (775) 687-9418 for further information.
 - c) Ensuring a Dust Control Permit is available on site. The site is subject to the right of inspection by an Air Quality Specialist at any time. If the **Specialist** ascertains that a present or potential dust particulate problem exists, specific conditions may apply.
 - d) Problem areas or potential problem areas, which may be pointed out by the Air Quality Specialist, must be controlled as soon as possible after being brought to the attention of a responsible individual in the employment of the **Applicant (Owner/Operator)**, Prime Contractor, or Grading/Excavating Contractor.
 - e) Notification to the Air Quality Management Division (784-7200) when there are transfers or additions of ownership or grading/excavating contractors, from commencement of project to completion.
 - f) Submittal and approval of a new Dust Control Permit, **prior to the expiration date**, if the project is not complete, and the remaining land disturbance is one acre or greater. The Dust Control Permit is valid for eighteen (18) months from the date the Permit is issued.

"RESPONSIBILITIES OF APPLICANT UPON COMPLETION OF CONSTRUCTION"

4. Stabilization of the area is required once "final grade" is complete, by construction/landscaping, revegetation, chemical sealant, or other approved method(s) of dust suppression.
5. **Submit Notification of Completion to the AQMD, PO Box 11130, Reno NV 89520-0027 or faxing the "Completion of Project" form (attached) or located at www.ourcleanair.com to (775) 784-7225.**

DUST PERMIT SIGNAGE

WASHOE COUNTY HEALTH DISTRICT
AIR QUALITY MANAGEMENT DIVISION
PO Box 11130, Reno NV 89520-0027
(775) 784-7200 * Fax (775) 784-7225
www.ourcleanair.com

The owner or the general/grading contractor shall erect an informational sign at the main entrance to the project site. The sign shall be a minimum of 4 ft by 4 ft in size, and shall be in place before the initiation of disturbance of the ground surface. The sign lettering shall be at least 4 inches high and shall be bold and easily readable by the public. The sign shall remain in place for the life of the project. The sign shall include the following information:

SIGNAGE EXAMPLE

A. PROJECT NAME

B. STATEMENT IDENTIFYING THE GENERAL CONTRACTOR

C. A STATEMENT PROCLAIMING THAT "ALL OPERATORS AT THIS SITE ARE REQUIRED TO CONTROL DUST EMISSIONS FROM THEIR OPERATIONS. THE GENERAL CONTRACTOR IS REQUIRED TO OVERSEE AND CONTROL PROJECT WIDE DUST EMISSIONS."

D. A STATEMENT PROCLAIMING "FOR DUST RELATED PROBLEMS COMING FROM THIS SITE OR TO MAKE A DUST COMPLAINT, CALL BOTH THE CONTRACTOR/DEVELOPER AT (XXX) XXX-XXX AND WASHOE COUNTY HEALTH DISTRICT, AIR QUALITY MANAGEMENT DIVISION AT (775) 784-7200. 24 HOURS/DAY, 7 DAYS/WEEK"

Dust Control Permit – Change/Transfer of Responsibility

WASHOE COUNTY HEALTH DISTRICT * AIR QUALITY MANAGEMENT DIVISION
PO Box 11130, Reno NV 89520-0027 * (775) 784-7200 * Fax (775) 784-7225
www.ourcleanair.com

To transfer, add or remove the Owner/Developer, Engineer/Consultant, General Contractor or the Grading/Excavating Contractor from the Air Quality Management Dust Control Permit. *This form must be submitted to the Air Quality Management Division, 10 working days before the change of information.*

Dust Control Permit No: _____ Expiration Date of Permit: _____

Name of Development: _____

Development Address: _____

Company to be removed or replaced on this Permit: _____

The following contact information is for the new (circle one):

Owner/Developer * Engineer/Consultant * General Contractor * Grading/Excavating Contractor

New Company: _____

Contact Person: _____ Title: _____

Phone number: _____ Mobile number: _____

Address: _____

City: _____ State: _____ Zip Code: _____

Email: _____

In requesting the company's name being removed from the Dust Control Permit for this Development, I certify that (circle):

- 1) All of our company's work is complete and all contractual obligations at this site are fulfilled and/or terminated.**
- 2) All of our company's equipment has been removed from the site and will not return for later work.**
- 3) Notification of completion and/or departure from the development is made to the persons or companies with whom we contracted.**

Under penalty of perjury, to the best of my knowledge formed after a reasonable inquiry, the information supplied in this document is true and correct.

Signature

Date

Print or Type name

Title

Company Name

Phone Number

WASHOE COUNTY DUST CONTROL LOG

Development Name: _____ Permit # _____

Compliance Evaluation Rating System

AA - Above Average

A - Average Compliance

O - Out of Compliance

N/A - Not Applicable Item

General Contractor: _____

Earthmoving Contractor: _____

DATE OF WEEK _____	SUN	MON	TUES	WED	THU	FRI	SAT
Elimination of trackout onto existing roads							
Condition of gravel access roadway							
Control of dust from trenching operations							
Condition of crust on disturbed areas							
Condition of crust on excavated materials							
Condition of crust on stockpile(s)							
Control of dust from screening operations							
Control of dust from backfilling operations							
Number of OPERATING water trucks/pulls							
Size of OPERATING water trucks/pulls (gallon capacity of each truck/pull)							
Other methods of dust suppression used: (Indicate Type)							
Any communication from Owner concerning Contractors Dust Control Performance? (Explain on attached sheet)							
Was the job shut down by the Contractor for being Out of Compliance? (Explain on attached sheet)							
Was the job shut down by the Owner for be Out of Compliance? (Explain on attached sheet)							
Was the job shut down by Air Quality for being Out of Compliance? (Explain on attached sheet)							
Were the issues resolved prior to work start-up? (Explain on attached sheet)							
Was a Notice of Violation issued by Washoe County Air Quality Management Division?							



WASHOE COUNTY HEALTH DISTRICT
AIR QUALITY MANAGEMENT DIVISION

Dust Control Permit
"Completion of Project"

By filing this form, you are notifying Washoe County Health District, Air Quality Management Division (AQMD) that the Dust Control Permit listed below has been completed.

COMPANY: _____

CONTACT PERSON: _____ TITLE: _____

ADDRESS: _____

PHONE NO.: _____ MOBILE NO.: _____

FAX OR MAIL TO:

NAME: Mary Clauson – Washoe County, AQMD FAX NO: (775) 784-7225

Completion Date: _____

Dust Control Permit No.: _____ Expiration Date: _____

Name of Project: _____

Location of Project: _____

Under penalty of perjury, to the best of my knowledge formed after a reasonable inquiry, the information supplied in this document is true and correct.

Print or Type name

Title

Signature

Company

Date