
1355 Capital Blvd. • P.O. Box 30013 • Reno, NV 89520-3013
P 775.834.8080 • F 775.834.8003

Addendum No. 2
HEAVY CREW TRUCK LINE BODY AND ACCESSORIES
INSTALLATION
TWMA 332 BID NO.: 2018-017
April 24, 2018

The following information, clarifications, changes and modifications are by reference incorporated into the bid documents for the above referenced project. Any work item or contract provision not changed or modified will remain in full force and effect. The bid date and time and construction schedule remain the same.

QUESTION AND RESPONSE

Question No. 1: Can we get the make, model and year of the chassis?

Response to Question No. 1: Attachment A provides all information on the Chassis including, “make, model and year.”

QUESTION CUT-OFF DATE: May 1, 2018

END OF ADDENDUM NO. 2

ATTACHMENT “A”

Sales Adviser: Vehicle Data Code Inquiry

Serial: KM6175	Bld: D	Qty: 1	VIN: 3ALACWFE2KDKM6175	Specifications
Split Range: KM6175/KM6175	Customer: TRUCKEE MEAD	Base Model: M2106		
TSO No: 02192018JP	Salesperson: JIM PESCIPELLI	Cab Size: 132		
Pilot:	Coordinator: MATTHEW RITTENHO	Sleeper Size:		
Open TCO: N 004	Customer Acct: U02143	Paint: 1		
Schedule		Key Code:		
Status: SCHEDLD	Shipping/Pricing	Engine: CL090		
Status Date: 05/12/2018	Transit Start	Transmission: 3000RDS		
Order Recvd: 02/19/2018	Dt:	Aux Tran:		
Request Date: 05/25/2018	Est. Arrival	FT Axle: MBA10K		
Latest Accept: 05/25/2018	Dt:	RR Axle: 17K -522		
Projected Completion: 06/04/2018	Dlr Recvd Dt:	Tag/Push:		
Orig Project: 07/23/2018	Specon Dt: 04/17/2018	Suspension: FL18HLPR		
Order Rise: 02/23/2018	Invoice Dt:	TSO Processing: COMPLETE		
Ship Method: DRIVEABLE	Retail Sale:	Engineering CWOS: COMPLETE		
SIERRA FTL STL WST, INC.	Concession #: 1D5781	Pricing Issues: COMPLETE		
1550 EAST GREG STREET	Price Level: PRL-17M			
SPARKS , NV 89431	M2 PRL-17M (EFF:11/14/17)			
USA	PDI			
JIM PESCIPELLI	Received:			
	PDI			
	Returned:			
	Approval Date: 3/2/2018			
	TCO			
	Approval: 3			

DBC	Code	OTC	Notes	Description	Value
PRL-17M	001			PRICE LEVEL INFORMATION	
				M2 PRL-17M (EFF:11/14/17)	
				GENERAL APPLICATION INFORMATION	
AA1-003	D			TRUCK/TRAILER CONFIGURATION	
AA6-001	D			DOMICILED, USA 50 STATES (INCLUDING CALI	
	D			FORNIA AND CARB OPT-IN STATES)	
A85-010	D			UTILITY/REPAIR/MAINTENANCE SERVICE	
AA3-003	D			TANK BODY	
AA2-001	D			VAN TRAILER	
AH6-001	D			SINGLE (1) TRAILER	
AA5-002	D			TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN	
	D			TRANSIT, IS SPENT ON PAVED ROADS	
AB5-001	D			SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO	
	D			ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA	
	D			D SURFACE	
AB1-008	D			MAXIMUM 8% EXPECTED GRADE	
AA4-011	D			FIXED LOAD COMMODITY	
A84-1UT	D			UTILITY BUSINESS SEGMENT	
A66-99D	D			EXPECTED FRONT AXLE(S) LOAD	8000 LBS
A68-99D	D			EXPECTED REAR DRIVE AXLE(S) LOAD	17000 LBS
A63-99D	D			EXPECTED GROSS VEHICLE WEIGHT CAPACITY	25000 LBS
A70-99D	D			EXPECTED GROSS COMBINATION WEIGHT	50000 LBS

AC8-99D	S	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	87.992	IN
AL8-99D	S	CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3	IN
A88-99D	D	EXPECTED TRUCK BODY LENGTH	0	IN
AL4-99D	S 003	CALC'D FRAME LENGTH BACK OF CAB	127.362	IN
AL6-99D	S 003	CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-124.362	IN
AM1-99D	S 003	CALC'D OVERALL LENGTH AT BODY OR EOF	259.252	IN
AC3-99D	S	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	79.233	MPH
AF7-99D	D	BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME	32	IN
AK2-99D	S 002	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
AM3-99D	S 002	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	37.535	IN
AR1-99D	S 003	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	36.556	IN
AM2-99D	S 002	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	40.88	IN
AM0-99D	S 002	TOP OF FRM TO RR TIRE TOP-UNLD	-1.32	IN
ALG-99D	S 002	CALC'D CAB HEIGHT ABOVE FRAME	74.535	IN
ALJ-99D	S 002	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	111.305	IN
ALH-99D	S 003	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	113.049	IN
AF3-2BT	D	VALEW		
		MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	S 002	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	10000	LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	17500	LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	S 002	RATED MAXIMUM VEHICLE CAPACITY - GVWR	26000	LBS
		BASE MODEL		
001-172	D	M2 106 CONVENTIONAL CHASSIS	F 5759	R 3503
004-219	D	2019 MODEL YEAR SPECIFIED		
995-091	D	MEDIUM TRUCK WARRANTY		
002-004	D	SET BACK AXLE - TRUCK		
019-001	D	TRAILER TOWING PROVISION AT END OF FRAME	F 10	R 10
	D	FOR TRUCK		
003-001	D	LH PRIMARY STEERING LOCATION		
	D	ENGINE		
101-22N	D	CUM L9 270 HP @ 2000 RPM; 2200 GOV RPM,	F 640	R 30
	D	800 LB/FT @ 1300 RPM		
99C-017	D	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/F		
	D	INAL GHG17 CONFIGURATION		
99Z-004	S	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D		
	S	OES NOT HAVE REGULATORY VEHICLE SPEED LI		
	S	MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN		
	S	(AES)		
99D-011	D	2008 CARB EMISSION CERTIFICATION - CLEAN		
	D	IDLE (INCLUDES 6X4 INCH LABEL ON LOWER		
	D	FORWARD CORNER OF DRIVER DOOR)		
992-001	S	50 STATE EMISSIONS CERTIFICATION		
28F-007	D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC		
	D	OVER THE ROAD ACTIVE REGENERATION AND DA		
	D	SH MOUNTED SINGLE REGENERATION REQUEST/I		
	D	NHIBIT SWITCH		
79A-075	D	75 MPH ROAD SPEED LIMIT		
79B-000	D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD		
	D	SPEED LIMIT		
79C-998	D	NO DRIVER FUEL ECONOMY INCENTIVE		
79D-998	D	NO PROGRESSIVE SHIFTING		
79E-998	D	NO LOW RANGE TORQUE PROTECT		
79F-998	D	NO FLEET MANAGEMENT		
79G-998	D	NO IDLE SHUTDOWN CONFIGURATION		
79J-998	D	NO PTO SHUTDOWN CONFIGURATION		

79K-007	D	PTO MODE ENGINE RPM LIMIT - 1100 RPM
79L-998	D	PTO MODE THROTTLE OVERRIDE DISABLED
79M-001	D	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE
	D	APPLIED
79N-998	D	NO PTO MODE CLUTCH OVERRIDE
79P-002	D	PTO RPM WITH CRUISE SET SWITCH - 700 RPM
79Q-003	D	PTO RPM WITH CRUISE RESUME SWITCH - 800
	D	RPM
79R-998	D	NO PTO MODE COOLING FAN
79S-001	D	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79T-998	D	NO PTO MODE RPM INCREMENT
79U-007	D	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC
	D	OND
79V-998	D	NO PTO MODE DPF REGEN
79W-998	D	REMOTE PTO DISABLED
79X-998	D	NO PTO 1 SET SPEED
79Y-998	D	NO PTO 2 SET SPEED
79Z-998	D	NO PTO 3 SET SPEED
80A-998	D	NO ALTERNATE ROAD SPEED LIMIT
80B-998	D	NO CHECK ENGINE LIGHT ON OVERSPEED
80C-998	D	NO ENGINE BRAKE WITH CRUISE CONTROL
80D-998	D	NO SOFT CRUISE CONTROL
80E-998	D	NO ENGINE FAN WITH RETARDER
80F-998	D	NO MAINTENANCE MONITOR
80G-002	D	PTO MINIMUM RPM - 700
80S-998	S	NO PTO 1 CONTROLS
80T-998	S	NO PTO 2 CONTROLS
80U-998	S	NO PTO 3 CONTROLS
80V-998	S	NO ENGINE MOUNT PTO CONTROLS
85K-998	S	NO PTO 1 J1939 CONTROL
85L-998	S	NO PTO 2 J1939 CONTROL
85M-998	S	NO PTO 3 J1939 CONTROL
85N-998	S	NO ENGINE MOUNT PTO J1939 CONTROL
80H-998	D	NO ACCELERATION MANAGEMENT
80J-002	D	REGEN INHIBIT SPEED THRESHOLD - 5 MPH
80R-998	S	NO DRIVETRAIN TORQUE PROTECTION
84E-000	D	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DT
	D	NA AND ALLISON, THIS DEFINED BY ENGINE A
	D	ND VOCATIONAL USAGE
84F-000	D	SECONDARY SHIFT SCHEDULE RECOMMENDED BY
	D	DTNA AND ALLISON, THIS DEFINED BY ENGINE
	D	AND VOCATIONAL USAGE
84G-000	D	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA
	D	AND ALLISON, THIS DEFINED BY ENGINE AND
	D	VOCATIONAL USAGE
84H-000	D	SECONDARY SHIFT SPEED RECOMMENDED BY DTN
	D	A AND ALLISON, THIS DEFINED BY ENGINE AN
	D	D VOCATIONAL USAGE
84J-000	S	ENGINE BRAKE RANGE PRESELECT RECOMMENDED
	S	BY DTNA AND ALLISON, THIS DEFINED BY EN
	S	GINE AND VOCATIONAL USAGE
84K-000	S	ENGINE BRAKE RANGE ALTERNATE PRESELECT R
	S	ECOMMENDED BY DTNA AND ALLISON, THIS DEF
	S	INED BY ENGINE AND VOCATIONAL USAGE

84L-000	D	DYNAMIC SHIFT SENSING AND ACCELERATION R		
	D	ATE MANAGEMENT RECOMMENDED BY DTNA AND A		
	D	LLISON, THIS DEFINED VOCATIONAL USAGE		
84M-998	D	TCU-PUMP MODE OPTION NOT CONFIGURED		
84N-000	D	NEUTRAL AT STOP - DISABLED, FUELSENSE -		
	D	DISABLED		
85B-998	D	TCU-RANGE INDICATION NOT CONFIGURED		
85E-998	D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT		
	D	CONFIGURED		
85F-998	D	TCU-MAX PTO ENGINE SPEED OPERATION NOT C		
	D	ONFIGURED		
85G-998	D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT		
	D	NOT CONFIGURED		
85H-998	D	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION N		
	D	OT CONFIGURED		
		ENGINE EQUIPMENT		
13E-001	D	STANDARD OIL PAN		
105-001	D	ENGINE MOUNTED OIL CHECK AND FILL		
104-998	D	NO ENGINE OIL DRAIN/SAMPLE		
133-004	D	ONE PIECE VALVE COVER		
014-099	D	SIDE OF HOOD AIR INTAKE WITH FIREWALL MO		
	D	UNTED DONALDSON AIR CLEANER		
124-1D7	D	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALT		
	D	ERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-098	D	(2) ALLIANCE MODEL 1231XOE, GROUP 31, 12		
	D	VOLT MAINTENANCE FREE 2250 CCA THREADED		
	D	STUD BATTERIES		
290-017	D	BATTERY BOX FRAME MOUNTED		
281-001	D	STANDARD BATTERY JUMPERS		
282-001	D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE		
	D	UNDER CAB		
291-017	D	WIRE GROUND RETURN FOR BATTERY CABLES WI		
	D	TH ADDITIONAL FRAME GROUND RETURN		
289-001	D	NON-POLISHED BATTERY BOX COVER		
33M-998	D	NO AUXILIARY POWER DISTRIBUTION MANAGEME		
	D	NT		
293-058	D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTE	F	8
	D	D CONTROL SWITCH MOUNTED OUTBOARD DRIVER		
	D	SEAT		
295-029	D	POSITIVE AND NEGATIVE POSTS FOR JUMPSTAR	F	2
	D	T LOCATED ON FRAME NEXT TO STARTER		
180-998	D	NO CLUTCH		
183-998	D	NO CLUTCH BRAKE		
181-998	D	NO CLUTCH RELEASE BEARING LUBE		
182-998	D	NO CLUTCH RELEASE		
107-032	D	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRE		
	D	SSOR WITH INTERNAL SAFETY VALVE		
108-002	D	STANDARD MECHANICAL AIR COMPRESSOR GOVER		
	D	NOR		
131-013	D	AIR COMPRESSOR DISCHARGE LINE		
152-041	D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT		
	D	ECTION SYSTEM		
128-1AR	D	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARI	F	20
	D	ABLE GEOMETRY TURBO WITH ON/OFF DASH SWI		
	D	TCH, ACTIVATES STOP LAMPS		

016-1C3	D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL			
	D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH			
	D	HORIZONTAL TAILPIPE			
239-001	D	STANDARD EXHAUST SYSTEM LENGTH			
233-998	D	NO EXHAUST BRIGHTWORK (PLAIN)			
237-052	D	RH STANDARD HORIZONTAL TAILPIPE			
23U-001	D	6 GALLON DIESEL EXHAUST FLUID TANK			
43W-001	S	STANDARD DIESEL EXHAUST FLUID SYSTEM COO			
	S	LANT PLUMBING			
30N-003	D	100 PERCENT DIESEL EXHAUST FLUID FILL			
23Z-998	D	NO DIESEL EXHAUST FLUID TANK COVER			
43X-005	D	LH UNDER CAB DIESEL EXHAUST FLUID TANK L			
	D	OCATION			
23Y-001	D	STANDARD DIESEL EXHAUST FLUID PUMP MOUNT			
	D	ING			
43Y-001	D	STANDARD DIESEL EXHAUST FLUID TANK CAP			
242-998	D	NO MUFFLER/TAILPIPE SHIELD			
273-018	D	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN			
	D	DRIVE			
276-001	D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC			
	D	H, NON ENGINE MOUNTED			
110-003	D	CUMMINS SPIN ON FUEL FILTER			
118-008	D	COMBINATION FULL FLOW/BYPASS OIL FILTER			
120-998	D	NO COOLANT FILTER	F	-10	
266-013	D	1100 SQUARE INCH ALUMINUM RADIATOR	F	20	
103-039	D	ANTIFREEZE TO -34F, OAT (NITRITE AND SIL			
	D	ICATE FREE) EXTENDED LIFE COOLANT			
171-007	D	GATES BLUE STRIPE COOLANT HOSES OR EQUIV			
	D	ALENT			
172-001	D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT			
	D	HOSES			
270-016	D	RADIATOR DRAIN VALVE			
168-002	D	LOWER RADIATOR GUARD			
360-998	D	NO FRONT ENGINE PTO			
361-998	D	NO REAR ENGINE PTO			
138-011	D	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK	F	4	
	D	HEATER			
141-998	D	NO COOLANT HEATER - GAS/DSL			
166-998	D	NO OIL PREHEATER			
140-022	D	CHROME ENGINE HEATER RECEPTACLE MOUNTED			
	D	UNDER LH DOOR			
134-001	D	ALUMINUM FLYWHEEL HOUSING			
132-004	D	ELECTRIC GRID AIR INTAKE WARMER			
155-058	D	DELCO 12V 38MT HD STARTER WITH INTEGRATE			
	D	D MAGNETIC SWITCH			
		TRANSMISSION & EQUIPMENT			
342-582	D	ALLISON 3000 RDS AUTOMATIC TRANSMISSION	F	200	R 60
	D	WITH PTO PROVISION			
352-998	D	NO AUXILIARY TRANSMISSION			
343-339	D	ALLISON VOCATIONAL PACKAGE 223 - AVAILAB			
	D	LE ON 3000/4000 PRODUCT FAMILIES WITH VO			
	D	CATIONAL MODELS RDS, HS, MH AND TRV			
84B-012	D	ALLISON VOCATIONAL RATING FOR ON/OFF HIG			
	D	HWAY APPLICATIONS AVAILABLE WITH ALL PRO			
	D	DUCT FAMILIES			
84C-023	D	PRIMARY MODE GEARS, LOWEST GEAR 1, START			
	D	GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3			

	D	000/4000 PRODUCT FAMILIES ONLY	
84D-023	D	SECONDARY MODE GEARS, LOWEST GEAR 1, STA	
	D	RT GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR	
	D	3000/4000 PRODUCT FAMILIES ONLY	
341-018	D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI	
	D	ON DRAIN, AXLE(S) FILL AND DRAIN	
345-003	D	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DA	
	D	SH MOUNTED	
97G-004	D	TRANSMISSION PROGNOSTICS - ENABLED 2013	
348-998	D	NO TRANSMISSION ACCESSORIES	
347-998	D	NO CLUTCH HOUSING MATERIAL	
370-015	D	WATER TO OIL TRANSMISSION COOLER, IN RAD	
	D	IATOR END TANK	
346-003	D	TRANSMISSION OIL CHECK AND FILL WITH ELE	
	D	CTRONIC OIL LEVEL CHECK	
368-998	D	NO EXTERNAL TRANSMISSION OIL FILTER	F -2
84T-000	S	DISABLE - NEUTRAL RANGE ASSIST	
84U-000	D	DRIVER SWITCH INPUT - DEFAULT - NO SWITC	
	D	HES	
84V-001	D	DIRECTION CHANGE ENABLED WITH MULTIPLEXE	
	D	D SERVICE BRAKES - ALLISON 5TH GEN TRANS	
	D	MISSIONS	
84W-001	S	AUXILIARY FUNCTION RANGE INHIBIT WITH MU	
	S	LTIPIEXED SERVICE BRAKES - ALLISON 5TH G	
	S	EN TRANSMISSIONS	
85D-001	S	SINGLE INPUT AUTOMATIC NEUTRAL WITH SELE	
	S	CTOR OVERRIDE WITH MULTIPLEXED PARK BRAK	
	S	E - ALLISON 5TH GEN TRANSMISSIONS	
353-998	D	NO WIRING-VEHICLE INTERFACE	
34C-001	D	ELECTRONIC TRANSMISSION CUSTOMER ACCESS	
	D	CONNECTOR FIREWALL MOUNTED	
362-035	D	CUSTOMER INSTALLED CHELSEA 277 SERIES PT	
	D	O	
363-001	D	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSI	
	D	ON	
375-998	D	NO AUXILIARY OIL COOLER	
373-998	D	NO TRANSFER CASE	
376-998	D	NO SHIFT CONTROL, TRANSFER CASE	
371-998	D	NO AUX TRANS/TRANSFER CASE MTD POWER	
	D	TAKEOFF	
35T-001	D	SYNTHETIC TRANSMISSION FLUID (TES-295 CO	
	D	MPLIANT)	
385-998	D	NO MAIN DRIVELINE HARDWARE	
	D	FRONT AXLE, SUSPENSION & EQUIPMENT	
400-1A5	H002	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI	
	H	/3.74 DROP SINGLE FRONT AXLE	
	002	With requested engine and crew cab, at c	
		urrent tare weight a 10k frontaxle is ne	
		eded to support load	
398-998	D	NO FRONT AXLE RATIO	
389-998	D	NO FRONT AXLE DRIVESHAFT	
402-021	H002	MERITOR 15X5 Q+ CAST SPIDER CAM FRONT BR	
	H	AKES, DOUBLE ANCHOR, FABRICATED SHOES	
	002	15" brakes required with 8,000lb front a	
		xle	

403-002	D	NON-ASBESTOS FRONT BRAKE LINING	
419-023	D	CONMET CAST IRON FRONT BRAKE DRUMS	
427-998	D	NO FRONT BRAKE DUST SHIELDS	
409-006	D	FRONT OIL SEALS	
408-001	D	VENTED FRONT HUB CAPS WITH WINDOW, CENTE	
	D	R AND SIDE PLUGS - OIL	
416-022	D	STANDARD SPINDLE NUTS FOR ALL AXLES	
404-1B2	S	WABCO LONGSTROKE FRONT BRAKE CHAMBERS	
405-002	D	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	
536-050	D	TRW THP-60 POWER STEERING	
537-005	S	STEEL STEERING SHAFT	
539-003	D	POWER STEERING PUMP	
534-015	D	2 QUART SEE THROUGH POWER STEERING RESER	
	D	VOIR	
533-998	D	NO POWER STEERING OIL COOLER	
40T-002	D	SYNTHETIC 75W-90 FRONT AXLE LUBE	
620-062	H002	10,000# TAPERLEAF FRONT SUSPENSION	
	002	With requested engine and crew cab, at c	
		urrent tare weight a 10k frontaxle is ne	
		eded to support load	
619-005	D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT	
	D	SUSPENSION	
62H-998	D	NO FRONT SUSPENSION SPRING BRACKET OPTIO	
	D	NS	
629-998	D	NO FRONT SWAYBAR	
410-001	D	FRONT SHOCK ABSORBERS	
		REAR AXLE, SUSPENSION & EQUIPMENT	
420-1GH	D	DETROIT DA-RS-17.5-4 17,500# R-SERIES SI	R -15
	D	NGLE REAR AXLE	
421-522	D	5.22 REAR AXLE RATIO	
424-001	D	IRON REAR AXLE CARRIER WITH STANDARD AXL	
	D	E HOUSING	
382-998	D	NO (#1) DRIVELINE	
386-076	D	MXL 17N MERITOR EXTENDED LUBE MAIN DRIVE	
	D	LINE WITH FULL ROUND YOKES	
388-998	D	NO INTERAXLE (#3) DRIVELINE	
393-998	D	NO DRIVELINE GUARD	
452-998	D	NO TRACTION EQUALIZER	
878-998	D	NO AIR PP & CONT-DIFF LKOUT,CAB	
87A-998	D	NO INTERAXLE LOCK WIRING/LOGIC	
87B-998	D	NO DIFFERENTIAL LOCK WIRING/LOGIC	
423-020	D	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR B	
	D	RAKES, DOUBLE ANCHOR, FABRICATED SHOES	
433-002	D	NON-ASBESTOS REAR BRAKE LINING	
434-011	D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE	
	D	OF DRIVE AXLE(S)	
451-023	D	CONMET CAST IRON REAR BRAKE DRUMS	
425-998	D	NO REAR BRAKE DUST SHIELDS	
440-006	D	REAR OIL SEALS	
435-998	D	NO DRIVELINE PARKING BRAKE	
426-100	D	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE	
	D	SPRING PARKING CHAMBERS	
428-002	D	MERITOR AUTOMATIC REAR SLACK ADJUSTERS	
876-998	D	NO AIR PP/ELECT AXLE SHIFT,CAB	
87C-998	D	NO DRIVE/SHIFT AXLE WIRING/LOGIC	

898-998	D	NO AIR PP/ELECT-AXLE SHIFT,CHAS	
41T-002	D	SYNTHETIC 75W-90 REAR AXLE LUBE	
622-1ME	D	18,000# 52 INCH VARIABLE RATE MULTI-LEAF	R 90
	D	SPRING REAR SUSPENSION WITH LEAF SPRING	
	D	HELPER	
034-998	D	NO REAR SUSPENSION PACKAGE	
621-001	D	SPRING SUSPENSION - NO AXLE SPACERS	
431-001	D	STANDARD AXLE SEATS IN AXLE CLAMP GROUP	
624-998	D	NO AXLE SPACING	
628-998	D	NO SUSPENSION BEAMS	
888-998	D	NO DUMP VALVE/SWITCH FOR AIR SUSPENSION	
87D-998	D	NO REAR AIR SUSPENSION VALVE WIRING/	
	D	LOGIC	
910-998	D	NO REAR CHASSIS SUSPENSION AIR PIPING	
623-998	D	SUSPENSION CONTROL RODS - NONE	
630-998	D	NO REAR SUSPENSION STABILIZER	
439-998	D	NO REAR SHOCK ABSORBERS	
035-998	D	NO DEAD AXLE PACKAGE	
443-998	D	NO PUSHER OR TAG AXLE	
456-998	D	NO PUSHER/TAG BRAKES	
457-998	D	NO BRAKE LINING-PUSHER/TAG(SCO)	
448-998	D	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA	
	D	G	
429-998	D	NO PUSHER/TAG BRAKE DUST SHIELDS	
442-998	D	NO PUSHER OR TAG OIL SEALS	
444-998	D	NO PUSHER OR TAG HUB CAPS	
445-998	D	NO PUSHER OR TAG BRAKE CHAMBERS	
458-998	D	NO PUSHER/TAG SLACK ADJUSTERS	
626-998	D	NO PUSHER OR TAG SUSPENSION	
874-998	D	NO PUSHER/TAG AXLE LIFT	
896-998	D	NO PLUMBING FOR LIFT AXLE	
87F-998	D	NO LIFT AXLE WIRING/LOGIC	
		BRAKE SYSTEM	
018-002	D	AIR BRAKE PACKAGE	
490-100	D	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL	
871-001	D	REINFORCED NYLON, FABRIC BRAID AND WIRE	
	D	BRAID CHASSIS AIR LINES	
46E-001	S	STANDARD AIR MANAGEMENT UNIT	
904-001	D	FIBER BRAID PARKING BRAKE HOSE	
412-001	D	STANDARD BRAKE SYSTEM VALVES	
46D-002	D	STANDARD AIR SYSTEM PRESSURE PROTECTION	
	D	SYSTEM	
413-002	D	STD U.S. FRONT BRAKE VALVE	
432-003	D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,	
	D	NO REAR PROPORTIONING VALVE	
480-047	D	BW AD-IS (DRM) BRAKE LINE AIR DRYER WITH	
	D	SHIELD, HEATER AND INTEGRAL RESERVOIR	
483-998	D	NO AIR SYSTEM OIL FILTER	
479-014	D	AIR DRYER RESERVOIR MOUNTED	
460-001	D	STEEL AIR BRAKE RESERVOIRS	
46A-998	D	NO AUXILIARY AIR TANK	
607-998	D	CHASSIS CONFIGURATION - NONE	
477-004	D	PULL CABLES ON ALL AIR RESERVOIR(S)	
485-998	D	NO EXTERNAL CHARGING GLADHAND	
481-998	D	NO TRAILER AIR HOSE	
476-998	D	NO AIR HOSE HANGER	
914-001	D	AIR CONNECTIONS TO END OF FRAME WITH GLA	

	D	D HANDS FOR TRUCK AND NO DUST COVERS		
919-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING,		
	D	VALVES, OR AIR UNLOADER SYSTEM		
484-998	D	NO TRAILER CABLE AND GLAD HANDS STORAGE		
296-010	D	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR S		
	D	EPARATE STOP/TURN, ABS CENTER PIN POWERE		
	D	D THROUGH IGNITION		
297-001	D	SAE J560 7-WAY PRIMARY TRAILER CABLE REC		
	D	EPTACLE MOUNTED END OF FRAME		
335-004	D	UPGRADED CHASSIS MULTIPLEXING UNIT		
32A-002	D	UPGRADED BULKHEAD MULTIPLEXING UNIT		
87P-001	S	CAB AUXILIARY POWER CABLE	F	5
308-998	D	NO SUPPLEMENTAL TRAILER CABLE WIRING		
331-998	D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R		
	D	ECEPTACLE		
30K-998	D	NO HIGH CURRENT RECEPTACLE/WIRING		
30L-998	D	NO HIGH CURRENT TRAILER/BODY CABLE		
310-998	D	NO TRAILER ELECTRICAL CABLE		
		FRAME & WHEELBASE		
545-455	D	4550MM (179 INCH) WHEELBASE		
546-1AG	H002	9/32X3-1/16X10-1/16 INCH STEEL FRAME (7.		
	H	14X255.6MM/0.281X10.06 INCH) 80KSI		
	002	Trying to derate framerail to 26K		
547-998	D	NO INNER FRAME REINFORCEMENT		
548-998	D	NO OUTER FRAME REINFORCEMENT		
549-998	D	NO FRONT FRAME EXTENSION		
552-010	D003	1000MM (39 INCH) REAR FRAME OVERHANG	F	20
AB8-99D	S002	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	1.032	R -100 %
553-001	D	SQUARE END OF FRAME		
554-998	D	NO BUMPER/UNDERRIDE GUARD		
550-001	D	FRONT CLOSING CROSSMEMBER		
559-001	D	STANDARD WEIGHT ENGINE CROSSMEMBER		
562-001	D	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
565-001	D	STANDARD SUSPENSION CROSSMEMBER		
572-001	D	STANDARD REARMOST CROSSMEMBER		
AL5-99D	S003	CALC'D BUMPER TO REAR TOWING C/M FACE	259.252	IN
587-998	D	NO REAR TOWING DEVICE		
		CHASSIS EQUIPMENT		
674-998	D	NO LH OR RH BACK OF CAB ACCESS		
592-998	D	NO DECK PLATE		
556-1AP	D	THREE-PIECE 14 INCH PAINTED STEEL BUMPER	F	30
	D	WITH COLLAPSIBLE ENDS		
558-001	D	FRONT TOW HOOKS - FRAME MOUNTED	F	15
574-001	D	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
642-998	D	NO BUMPER/FENDER MOUNTED SIGHT RODS		
585-998	D	NO MUDFLAP BRACKETS		
590-998	D	NO REAR MUDFLAPS		
586-024	D	FENDER AND FRONT OF HOOD MOUNTED FRONT M		
	D	UDFLAPS		
551-007	D	GRADE 8 THREADED HEX HEADED FRAME FASTEN		
	D	ERS		
583-998	D	NO REAR QUARTER FENDERS		
600-998	D	NO CAB GUARD		
604-998	D	NO TIRE CARRIER		
489-998	D	NO TIRE PRESSURE CONTROL/SENSOR		

794-998	D	NO JACK OR WHEEL WRENCH PROVISION		
795-998	D	NO TOOLS		
605-998	D	CHASSIS,MISC CUSTOM REQUIREMENTS-NONE		
601-998	D	NO BODY BUILDER DIAGRAMS		
970-998	D	NO BODY TYPE		
		FIFTH WHEEL & EQUIPMENT		
578-998	D	NO FIFTH WHEEL		
577-998	D	NO FIFTH WHEEL LOCATION		
580-998	D	NO ADDITIONAL FIFTH WHEEL DRILLINGS		
582-998	D	NO FIFTH WHEEL LEG HEIGHT		
570-998	D	NO FIFTH WHEEL MOUNTING		
890-998	D	NO FIFTH WHEEL PLUMBING		
579-998	D	NO FIFTH WHEEL RELEASE/INST.		
591-998	D	NO FIFTH WHEEL ADD-ONS		
		FUEL TANK(S) & EQUIPMENT		
206-998	D	NO RH FUEL TANK		
201-998	D	NO RH AUXILIARY FUEL TANK		
204-215	D	50 GALLON/189 LITER SHORT RECTANGULAR AL	F	20
	D	UMINUM FUEL TANK - LH		
200-998	D	NO LH AUXILIARY FUEL TANK		
230-998	D	NO BETWEEN RAIL FUEL TANK		
203-998	D	NO HYDRAULIC OIL TANK		
218-005	D	RECTANGULAR FUEL TANK(S)		
215-004	D	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH		
	D	PAINTED BANDS		
212-007	D	FUEL TANK(S) FORWARD		
11F-998	D	NO NATURAL GAS VEHICLE FUEL TANK VENT LI		
	D	NE/STACK		
231-998	D	NO FUEL TANK MTG BETWEEN RAILS		
232-998	D	NO ADDITIONAL FUEL PROVIDED		
664-003	D	BLACK STEP FINISH		
207-998	D	NO FUEL TANK SCREENS		
205-001	D	FUEL TANK CAP(S)		
220-998	D	NO FUEL HEATER		
122-1J1	D	DETROIT FUEL/WATER SEPARATOR WITH WATER	F	-5
	D	IN FUEL SENSOR, HAND PRIMER AND 12 VOLT		
	D	PREHEATER		
216-020	D	EQUIFLO INBOARD FUEL SYSTEM		
20E-998	D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT		
	D	S		
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL L		
	D	INE		
213-998	D	NO FUEL LINE INSULATION		
221-998	D	NO FUEL COOLER		
		TIRES		
093-1V4	D	CONTINENTAL HSR2 11R22.5 14 PLY RADIAL F	F	16
	D	RONT TIRES		
094-2F6	D	CONTINENTAL HDR2 11R22.5 14 PLY RADIAL R		R 92
	D	EAR TIRES		
095-998	D	NO PUSHER/TAG TIRES		
510-998	D	NO SPARE TIRE		
		HUBS		
418-060	D	CONMET PRESET PLUS PREMIUM IRON FRONT HU		
	D	BS		
450-060	D	CONMET PRESET PLUS PREMIUM IRON REAR HUB		

	D	S			
449-998	D	NO PUSHER OR TAG HUBS WHEELS			
502-428	D	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.	F	26	
	D	18 INSET 2-HAND HD STEEL DISC FRONT WHEELS			
505-657	D	ACCURIDE 51408 ACCU-LITE 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS			
509-998	D	NO PUSHER/TAG DISC WHEELS			
511-998	D	NO SPARE WHEEL			
51A-998	D	NO ADDITIONAL SPARE WHEEL			
524-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLEAN BUFF OR BRUSHED FINISH FRONT WHEELS			
525-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLEAN BUFF OR BRUSHED FINISH REAR WHEELS			
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLEAN BUFF OR BRUSHED FINISH PUSHER/TAG WHEELS			
50W-998	D	NO RIM/WHEEL TIRE PRESSURE SENSOR			
496-011	D	FRONT WHEEL MOUNTING NUTS			
497-011	D	REAR WHEEL MOUNTING NUTS			
498-998	D	NO TIRE VALVE STEM/CAP/EXTENSIONS CAB EXTERIOR			
829-075	D	132 INCH BBC HIGH-ROOF EXTENDED ALUMINUM CONVENTIONAL CAB	F	200	R 50
682-998	D	NO SLEEPER BOX/SLEEPER CAB			
784-998	D	NO AIR SHIELD OR BRACKETS			
783-998	D	NO SIDE EXTENDERS			
782-998	D	NO FRAME SIDE FAIRINGS			
650-008	D	AIR CAB MOUNTING			
705-998	D	NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS			
648-998	D	NO RADIATOR GRILLE SCREEN			
754-998	D	NO FENDER EXTENSION			
678-001	D	LH AND RH GRAB HANDLES			
646-009	D	PAINTED PLASTIC GRILLE			
65X-001	D	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE			
644-004	D	FIBERGLASS HOOD			
690-998	D	NO NOISE SHIELD-ENG COMPARTMENT			
727-1AH	D	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED	F	4	
726-001	D	SINGLE ELECTRIC HORN			
728-001	D	SINGLE HORN SHIELD			
657-1CV	D	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME WITH (4) KEYS			
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME			
327-998	D	NO OTHER LIGHTS			
312-043	D	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			
302-047	D	LED AERODYNAMIC MARKER LIGHTS			
315-998	D	NO FOG LIGHTS			
311-001	D	DAYTIME RUNNING LIGHTS			
316-998	D	NO SPOTLIGHTS			
294-042	D	FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS			R 5
300-015	D	STANDARD FRONT TURN SIGNAL LAMPS			
318-998	D	NO UTILITY/ADVERTISING LIGHT			

744-1BH	D	DUAL WEST COAST MOLDED-IN COLOR MIRRORS	
797-001	D	DOOR MOUNTED MIRRORS	
796-001	D	102 INCH EQUIPMENT WIDTH	
743-998	D	NO MIRROR MOUNTED CONVEX MIRRORS	
74A-998	D	NO AUXILIARY MIRROR	
74B-998	D	NO AUXILIARY MIRROR	
713-998	D	NO PERMIT PLAQUE	
729-001	D	STANDARD SIDE/REAR REFLECTORS	
73A-998	D	NO REFLECTIVE DEVICES	
677-998	D	NO CAB MOUNTED STEPS	
275-998	D	NO EMERGENCY WARNING SIRENS	
764-998	D	NO EXTERIOR SUN VISOR	
768-043	D	63X14 INCH TINTED REAR WINDOW	
661-003	D	TINTED DOOR GLASS LH AND RH WITH TINTED	
	D	NON-OPERATING WING WINDOWS	
654-003	D	MANUAL DOOR WINDOW REGULATORS	
767-047	D	20X23 INCH LH AND RH TINTED SIDE WINDOWS	
769-998	D	NO LOWER DOOR WINDOW	
663-013	D	TINTED WINDSHIELD	
659-019	D	2 GALLON WINDSHIELD WASHER RESERVOIR WIT	
	D	HOUT FLUID LEVEL INDICATOR, FRAME MOUNTE	
	D	D	
647-998	D	NO WINTERFRONT	
		CAB INTERIOR	
707-1AK	D	OPAL GRAY VINYL INTERIOR	
055-998	D	NO INTERIOR CONVENIENCE PACKAGE	
706-026	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL	
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOO	
	D	R	
708-026	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL	
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOO	
	D	R	
772-006	D	BLACK MATS WITH SINGLE INSULATION	
785-998	D	NO DASH MOUNTED ASH TRAYS AND LIGHTER	
691-008	D	FORWARD ROOF MOUNTED CONSOLE WITH UPPER	
	D	STORAGE COMPARTMENTS WITHOUT NETTING	
694-010	D	IN DASH STORAGE BIN	
696-998	D	NO REAR FLOOR STORAGE	
693-998	D	NO INTERIOR DOOR STORAGE	
826-998	D	NO LOWER BUNK	
666-998	D	NO BUNK RESTRAINT	
738-998	D	NO CLOCK	
742-007	D	(2) CUP HOLDERS LH AND RH DASH	
680-006	D	GRAY/CHARCOAL FLAT DASH	
860-998	D	NO WIRING	
716-998	D	NO WINDSHIELD FAN	
720-002	D	2-1/2 LB. FIRE EXTINGUISHER	F 5
71T-998	D	NO SMOKE/GAS DETECTOR	
714-998	D	NO FIRST AID KIT	
700-002	D	HEATER, DEFROSTER AND AIR CONDITIONER	
701-001	D	STANDARD HVAC DUCTING	
703-005	D	MAIN HVAC CONTROLS WITH RECIRCULATION SW	
	D	ITCH	
689-998	D	NO AUXILIARY HVAC UNIT	
170-015	D	STANDARD HEATER PLUMBING	

130-033	D	DENSO HEAVY DUTY AIR CONDITIONER COMPRES				
	D	SOR				
702-002	D	BINARY CONTROL, R-134A				
739-034	D	PREMIUM INSULATION				
285-013	D	SOLID-STATE CIRCUIT PROTECTION AND FUSES				
96R-002	S	STANDARD ELECTRICAL PROTECTIVE COATING,				
	S	GREASE ON BATTERY TERMINALS AND RED ENAM				
	S	EL PAINT IN ENGINE COMPARTMENT AND ON CH				
	S	ASSIS CONNECTIONS				
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM				
324-014	D	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED B				
	D	Y LH AND RH DOORS				
655-001	D	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS				
740-998	D	NO MATTRESS				
284-045	D	(2) 12 VOLT POWER RECEPTACLES MOUNTED IN				
	D	DASH				
710-998	D	NO CAB PRIVACY CURTAIN				
722-028	D	TRIANGULAR REFLECTORS KIT WITHOUT FLARES	F	10		
	D	SHIPPED LOOSE IN CAB				
756-1D9	D	PREMIUM HIGH BACK AIR SUSPENSION DRIVER	F	70		
	D	SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRAT				
	D	ED CUSHION EXTENSION, FORWARD AND REAR C				
	D	USHION TILT, ADJUSTABLE SHOCK ABSORBER				
760-1D9	D	PREMIUM HIGH BACK AIR SUSPENSION PASSENG	F	60	R	20
	D	ER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEG				
	D	RATED CUSHION EXTENSION, FORWARD AND REAR				
	D	CUSHION TILT, ADJUSTABLE SHOCK ABSORBER				
762-998	D	NO REAR PASSENGER SEAT				
757-998	D	NO SEAT SKIRT(S)				
759-007	D	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER	F	4		
	D	SEAT ARMRESTS				
711-004	D	LH AND RH INTEGRAL DOOR PANEL ARMRESTS				
699-998	D	NO SEAT OPTIONS				
758-036	D	VINYL WITH VINYL INSERT DRIVER SEAT				
761-036	D	VINYL WITH VINYL INSERT PASSENGER SEAT				
755-998	D	NO REAR PASSENGER SEAT COVERS				
763-101	D	BLACK SEAT BELTS				
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING	F	10		
	D	COLUMN				
540-016	D	18 INCH (450MM) LEATHER WRAPPED STEERING				
	D	WHEEL				
765-002	D	DRIVER AND PASSENGER INTERIOR SUN VISORS				
		CONTROLS & INSTRUMENTS				
870-001	D	BLACK GAUGE BEZELS				
732-004	D	GRAY DRIVER INSTRUMENT PANEL				
734-004	D	GRAY CENTER INSTRUMENT PANEL				
68J-998	D	NO SWITCH BLANK - INSTRUMENT PANEL				
486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUD				
	D	IBLE ALARM				
838-998	D	NO AIR APPLICATION GAUGE				
840-002	D	2 INCH PRIMARY AND SECONDARY AIR PRESSUR				
	D	E GAUGES				
198-025	D	INTAKE MOUNTED AIR RESTRICTION INDICATOR				
	D	WITHOUT GRADUATIONS				
721-001	D	97 DB BACKUP ALARM			R	3

149-013	D	ELECTRONIC CRUISE CONTROL WITH SWITCHES		
	D	IN LH SWITCH PANEL		
156-007	D	KEY OPERATED IGNITION SWITCH AND INTEGRA		
	D	L START POSITION; 4 POSITION OFF/RUN/STA		
	D	RT/ACCESSORY		
157-998	D	NO REMOTE START		
811-042	D	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS,		
	D	28 LED WARNING LAMPS AND DATA LINKED		
160-038	D	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE		
	D	CONNECTOR LOCATED BELOW LH DASH		
844-001	D	2 INCH ELECTRIC FUEL GAUGE		
845-998	D	NO FUEL FLOW GAUGE		
148-003	D	PROGRAMMABLE RPM CONTROL - ELECTRONIC EN		
	D	GINE		
163-998	D	NO ENGINE OPT/RPM CONTROLS WIRING		
87L-998	D	NO REMOTE ENGINE CONTROL-ENABLE		
33U-998	D	NO CUSTOMER DEFINED WIRING FUNCTION		
866-998	D	NO AXLE TEMPERATURE GAUGE		
856-001	D	ELECTRICAL ENGINE COOLANT TEMPERATURE GA		
	D	UGE		
854-998	D	NO ENGINE OIL TEMPERATURE GAUGE		
864-998	D	NO TRANSMISSION TEMPERATURE GAUGE		
867-998	D	NO OUTSIDE AIR TEMPERATURE GAUGE		
830-017	D	ENGINE AND TRIP HOUR METERS INTEGRAL WIT		
	D	HIN DRIVER DISPLAY		
438-998	D	NO HUBODOMETER		
33A-998	D	NO WARNING LIGHT SWITCHES		
372-063	D	(1) DASH MOUNTED PTO SWITCH WITH INDICAT	F	5
	D	OR LAMP FOR CUSTOMER INSTALLED PTO		
736-998	D	NO OBSTACLE DETECTION SYSTEM		
73H-998	D	NO CAMERA/VIDEO/IMAGING SYSTEM		
49B-998	D	NO VEHICLE STABILITY ADVISOR OR CONTROL		
73B-998	D	NO LANE DEPARTURE WARNING SYSTEM		
852-002	D	ELECTRIC ENGINE OIL PRESSURE GAUGE		
679-998	D	NO OVERHEAD INSTRUMENT PANEL		
35M-998	D	NO WRG-BDY MULTIPLEX EXPNSN UNIT		
786-998	D	NO POSITIONING/LOCATING SYSTEM		
78A-998	D	NO POSITION/COMMUNICATION ACCESSORY		
746-1B4	D	AM/FM/WB WORLD TUNER RADIO WITH CD PLAYE	F	10
	D	R, BLUETOOTH, IPOD INTERFACE, USB AND AU		
	D	XILIARY INPUTS, J1939		
747-001	D	DASH MOUNTED RADIO		
74D-998	D	NO RADIO/SPEAKER WIRING		
750-002	D	(2) RADIO SPEAKERS IN CAB		
753-001	D	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF		
748-001	D	POWER AND GROUND STUDS IN/UNDER DASH		
749-998	D	NO CB RADIO MOUNTING PROVISION		
752-998	D	NO CB ANTENNA, BRACKET OR LEAD		
78C-998	D	NO DIGITAL SATELLITE AUDIO RECEIVER ANTE		
	D	NNA		
810-027	D	ELECTRONIC MPH SPEEDOMETER WITH SECONDAR		
	D	Y KPH SCALE, WITHOUT ODOMETER		
817-001	D	STANDARD VEHICLE SPEED SENSOR		
812-001	D	ELECTRONIC 3000 RPM TACHOMETER		
813-998	D	NO VEHICLE PERFORMANCE MONITOR	F	-5
8D1-998	D	NO DETROIT CONNECT SERVICES SELECTED		
8Z1-998	D	NO ZONAR SERVICES SELECTED		

80K-998	D	NO SHUTDOWN OVERRIDE
80L-998	D	NO REGEN SYSTEM TAILORING
80M-998	S	NO ALTERNATE PTO SPEED
80N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE
80P-998	S	NO FLEET SPEC FOR PARAMETERIZATION
80Q-998	S	NO VEHICLE SPEED LIMIT - GHG
162-002	D	IGNITION SWITCH CONTROLLED ENGINE STOP
885-998	D	NO CONTROLS-FIRE PUMP
329-007	D	ONE ON/OFF ROCKER SWITCH IN THE DASH WITH INDICATOR LIGHT WIRED TO JUNCTION BLOCK ON FRAME WITH MARKER LIGHT CIRCUIT, LABEL OPT
81Y-001	D	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH
44R-998	D	NO ON/OFF LATCHING SMARTPLEX SWITCH
44S-998	D	NO ON/OFF MOMENTARY SMARTPLEX SWITCH
44T-998	D	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH
44U-998	D	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH
44V-998	D	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS
44W-998	D	NO UNDEFINED INDICATOR LAMPS
264-998	D	NO CONTROLS-SIREN/AIR HORN
482-001	D	BW TRACTOR PROTECTION VALVE
883-001	D	TRAILER HAND CONTROL BRAKE VALVE
836-015	D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-001	D	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
27D-998	D	NO ALTERNATING FLASHING HEADLAMP SYSTEM
882-004	D	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-013	D	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-039	D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
869-998	D	WITH HAZARD LAMPS OVERRIDING STOP LAMPS NO MISCELLANEOUS GAUGES PAINT
065-000	D	PAINT: ONE SOLID COLOR
980-5F6	D	CAB COLOR A: L0006EB WHITE ELITE BC
986-020	D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
98K-998	D	NO FUEL TANK CABINET PAINT
962-972	D	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
966-972	D	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
96E-998	D	NO PUSHER/TAG WHEEL PAINT
96F-998	D	NO SPARE WHEEL PAINT
964-6Z7	D	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX
976-998	D	NO EXTERIOR SUNVISOR PAINT
963-003	D	STANDARD E COAT/UNDERCOATING ADDITIONAL SPECIFICATIONS

998-998	D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SER
	D	VICE PDI INSPECTION
958-998	D	NO INSPECTION-LABOR ONLY
99B-998	D	NO MODIFICATION CENTER SHIPPING INSTRUCT
	D	IONS
82N-998	D	NO SHIPPING PROTECTION
999-998	D	NONE
996-001	D	U.S. FMVSS CERTIFICATION, EXCEPT SALES C
	D	ABS AND GLIDER KITS
MWF-004	S	DETROIT FRONT AXLE COVERAGE, GENERAL SER
	S	VICE, 2 YEAR/UNLIMITED MILES/KILOMETERS
MWD-001	S	DETROIT REAR AXLE COVERAGE, GENERAL SERV
	S	ICE PLUS, 4 YEAR/UNLIMITED MILES/KILOMET

S ERS

TOTAL SUGGESTED RETAIL

DEALER NET

RCN-100	001	PRICE CONCESSION SYSTEM
PMU-017		2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR
P73-2FT	001	STANDARD DESTINATION CHARGE

FINAL PRICE DUE